L	Hits	Search Text	DB	Time stamp
Number				
-	13190	file same system same manag\$5	USPAT;	2003/10/28
	2526	file same sustant same manager and	EPO; JPO	14:11 2002/12/12
_	3526	file same system same manag\$5 and transaction	USPAT; EPO; JPO	11:06
_	158	file same system same manag\$5 and	USPAT;	2002/12/12
	150	transaction and commit and roll\$back	EPO; JPO	11:07
_	67	file same system same manag\$5 and	USPAT;	2002/12/12
		transaction and commit and roll\$back and	EPO; JPO	11:06
		communicat\$4 same protocol		
-	0	file same system same manag\$5 and	USPAT;	2002/12/12
		transaction and commit and roll\$back and	EPO; JPO	10:57
_	0	communicat\$4 same protocol and xdsm file same system same manag\$5 and	USPAT;	2002/12/12
	·	transaction and commit and roll\$back and	EPO; JPO	10:57
		communicat\$4 same protocol and "xdsm"		
-	52		USPAT;	2002/12/12
		transaction and commit and roll\$back and	EPO; JPO	11:06
		communicat\$4 same protocol and access		
		same file	HCDAM:	2002/12/12
_	4	file same system same manag\$5 and transaction and commit and roll\$back and	USPAT; EPO; JPO	2002/12/12
		communicat\$4 same protocol and access	EPO, JPO	10.50
		same file and stack\$4 same file		
_	3	file same system same manag\$5 and	USPAT;	2002/12/12
		transaction and commit and roll\$back and	EPO; JPO	10:59
		communicat\$4 same protocol and access		
		same file and stack\$4 same file and		
		data\$base	WGD NO.	2002/12/12
-	0	707/\$.ccls. and file same system same manag\$5 and transaction and commit and	USPAT; EPO; JPO	2002/12/12
		roll\$back and communicat\$4 same protocol	EEO, UEO	11.00
	ļ	and access same file and stacked		
	3		USPAT;	2002/12/12
		manag\$5 and transaction and commit and	EPO; JPO	11:00
		roll\$back and communicat\$4 same protocol		
		and access same file and stack	HCDATT.	2002/12/12
-	3	707/\$.ccls. and file same system same manag\$5 and transaction and commit and	USPAT; EPO; JPO	11:05
		roll\$back and communicat\$4 same protocol	110, 010	11.00
		and access same file and stack\$4		
-	27	707/\$.ccls. and file same system same	USPAT;	2002/12/12
		manag\$5 and transaction and commit and	EPO; JPO	11:19
		roll\$back and communicat\$4 same protocol	1	
	_	and access same file	HCDATT.	2002/12/12
-	6	707/\$.ccls. and xdsm	USPAT; EPO; JPO	2002/12/12 11:05
_	_	file same system same manag\$5 and	USPAT;	2002/12/12
		transaction and commit and roll\$back and	EPO; JPO	11:06
		communicat\$4 same protocol and access		
		same file and xdsm		
-	0	file same system same manag\$5 and	USPAT;	2002/12/12
	!	transaction and commit and roll\$back and	EPO; JPO	11:06
	_	communicat\$4 same protocol and xdsm	IIGDam.	2002/12/12
-	0	file same system same manag\$5 and transaction and commit and roll\$back and	USPAT; EPO; JPO	2002/12/12 11:06
		xdsm	1 1 1 0 1 0 1 0 1	11.00
-	4	file same system same manag\$5 and	USPAT;	2002/12/12
		transaction and xdsm	EPO; JPO	11:07
_	0	file same system same manag\$5 and	USPAT;	2002/12/12
		transaction and xdsm and commit	EPO; JPO	11:07
-	0	file same system and manag\$5 and	USPAT;	2002/12/12
		transaction and xdsm and commit	EPO; JPO USPAT;	11:07
-		file same system same manag\$5 and transaction and commit and roll\$back and	EPO; JPO	11:07
		xdsm	220, 010	
_	0	file same system same manag\$5 and	USPAT;	2002/12/12
		transaction and commit and roll\$back and	EPO; JPO	11:07
		xdsm same protocol		,

-	0	[	USPAT;	2002/12/12
_	4	transaction and xdsm same protocol file same system same manag\$5 and	EPO; JPO USPAT;	11:08
-	4	transaction and xdsm	EPO; JPO	11:09
-	7	xdsm	USPAT;	2002/12/12
			EPO; JPO	11:12
-	206	data adj storage adj management	USPAT;	2002/12/12
	_	3.5	EPO; JPO	11:57
_	7	data adj storage adj management and xdsm	USPAT; EPO; JPO	2002/12/12
_	0	data adj storage adj management and xdsm	USPAT;	2002/12/12
-		same protocol	EPO; JPO	11:17
-	9	707/\$.ccls. and file same system same	USPAT;	2002/12/12
		manag\$5 and transaction and commit and	EPO; JPO	11:22
		roll\$back and communicat\$4 same protocol		
_	0	and access same file and data adj storage 707/\$.ccls. and file same system same	USPAT;	2002/12/12
		manag\$5 and transaction and commit and	EPO; JPO	11:20
		roll\$back and communicat\$4 same protocol		
		and access same file and data adj storage		
		adj management		0000/10/10
_	1	707/\$.ccls. and file same system same	USPAT;	2002/12/12
		manag\$5 and transaction and commit and roll\$back and communicat\$4 same protocol	EPO; JPO	11:22
		and access same file and data adj storage		
		same management		
-	0	707/\$.ccls. and file adj system same	USPAT;	2002/12/12
		manag\$5 and transaction and commit and	EPO; JPO	11:22
		roll\$back and communicat\$4 same protocol		
		and access same file and data adj storage same management		
_	7	707/\$.ccls. and file adj system same	USPAT;	2002/12/12
		manag\$5 and transaction and commit and	EPO; JPO	11:28
		roll\$back and communicat\$4 same protocol		
	_	and access same file and data adj storage		0000/10/10
_	3	707/\$.ccls. and file adj system same manag\$5 and transaction and commit and	USPAT; EPO; JPO	2002/12/12
		roll\$back and communicat\$4 same protocol	BFO, GFO	11.29
		and access same file and data adj storage		
		and transaction\$4 near4 function\$5		
-	53		USPAT;	2002/12/12
	1	management 707/\$.ccls. and data adj storage adj	EPO; JPO USPAT;	11:58
	1	management same protocol	EPO; JPO	12:02
-	4	707/\$.ccls. and stacked adj file	USPAT;	2002/12/12
			EPO; JPO	15:39
-	2	707/\$.ccls. and stacked adj file and	USPAT;	2002/12/12
_	2	transaction   stacked adj file and transaction	EPO; JPO USPAT;	15:42
	2	Stacked adj life and transaction	EPO; JPO	15:38
_	2	707/\$.ccls. and stacked adj file and	USPAT;	2002/12/12
		(benefit advantage improve\$5) same	EPO; JPO	15:40
	_	stack\$5		0000 /20 /20
-	0	707/\$.ccls. and stacked adj file and (benefit advantage) same stack\$5	USPAT;	2002/12/12
_	7	(benefit advantage) same stacks5   stacked adj file and (benefit advantage)	EPO; JPO USPAT;	15:41 2002/12/12
	<b>'</b>	same stack\$5	EPO; JPO	15:41
-	39	707/\$.ccls. and stack\$4 near4 file and	USPAT;	2002/12/12
		transaction	EPO; JPO	15:42
-	17	707/\$.ccls. and stack\$4 near4 file and	USPAT;	2002/12/12
_	0	transaction and commit 707/\$.ccls. and stack\$4 near4 file and	EPO; JPO USPAT;	15:42   2002/12/12
		transaction and commit and roll\$back	EPO; JPO	15:43
-	0	707/\$.ccls. and stack\$4 near4 file adj	USPAT;	2002/12/12
		system and transaction and commit and	EPO; JPO	15:43
	_	roll\$back	IICDAM -	2002/12/12
-	2	707/\$.ccls. and stack\$4 near4 file adj system and transaction and commit	USPAT; EPO; JPO	2002/12/12 15:45
-	3	707/\$.ccls. and stack\$4 near4 file adj	USPAT;	2002/12/12
		system and transaction	EPO; JPO	15:46

-	1	707/\$.ccls. and "stacked file system"	USPAT; EPO; JPO	2002/12/12 15:48
-	0	transaction and "stacked file system"	USPAT;	2002/12/12
_	1	"stacked file system"	EPO; JPO USPAT;	15:48 2002/12/12
_	462	hierarchical with file adj system	EPO; JPO USPAT;	15:48 2003/05/20
			EPO; JPO;	13:30
-	112	manag\$4 same hierarchical with file adj	IBM_TDB USPAT;	2003/05/20
		system	EPO; JPO; IBM TDB	13:30
-	20	manag\$4 same hierarchical with file adj	USPAT;	2003/05/20
		system and file adj format	EPO; JPO; IBM TDB	13:31
-	0	manag\$4 same hierarchical with file adj	USPAT;	2003/05/20
		system and (various multiple) adj file adj format	EPO; JPO; IBM TDB	13:31
-	2	manag\$4 same hierarchical with file adj	USPAT;	2003/05/20
		system and file adj format and (multiple various different) adj format	EPO; JPO; IBM TDB	14:27
_	1	manag\$4 same hierarchical with file adj	USPAT;	2003/05/20
		system and file adj format and (multiple various different) adj format and unknown	EPO; JPO; IBM TDB	13:36
		adj format	1511_155	
-	10	hierarchical with file adj system and file adj format and (multiple various	USPAT; EPO; JPO;	2003/05/20 14:29
		different) adj format	IBM_TDB	14.25
_	1	hierarchical with file adj system and file adj format and (multiple various	USPAT; EPO; JPO;	2003/05/20 15:00
		different) adj format and unknown with	IBM_TDB	13.00
	2	format file adj system and file adj format and	USPAT;	2003/05/20
		(multiple various different) adj format	EPO; JPO;	14:39
_	228	and unknown with format hierarchical adj file adj system	IBM_TDB USPAT;	2003/05/20
	220	interactionical adjusted adjusted	EPO; JPO;	15:03
1_	36	hierarchical adj file adj system and file	IBM_TDB USPAT;	2003/05/20
		adj format	EPO; JPO;	15:03
1_	0	hierarchical adj file adj system and file	IBM_TDB USPAT;	2003/05/20
		adj format and (different multiple	EPO; JPO;	15:02
		various) adj format and unknown adj format	IBM_TDB	
-	0	hierarchical adj file adj system and file	USPAT;	2003/05/20
		adj format and unknown adj format	EPO; JPO; IBM TDB	15:02
-	0	hierarchical adj file adj system and	USPAT;	2003/05/20
		unknown adj format	EPO; JPO; IBM TDB	15:03
-	6	hierarchical adj file adj system and file	USPAT;	2003/05/20
		adj format and (different multiple various) adj format	EPO; JPO; IBM TDB	15:03
-	65	hierarch\$4 adj file and transaction and	USPAT;	2003/10/28
_	37	manager   hierarch\$4 adj file adj system and	EPO; JPO USPAT;	14:13 2003/10/28
		transaction and manager	EPO; JPO	14:13
_	17	hierarch\$4 adj file adj system and transaction and manager and resource with	USPAT; EPO; JPO	2003/10/28 14:14
		manag\$4 and resource with relat\$4 with		
-	0	file   hierarch\$4 adj file adj system and	USPAT;	2003/10/28
		transaction and manager and resource with	EPO; JPO	14:15
		manag\$4 and resource with relat\$4 with file and commit\$4 and roll\$back\$4		
-	0	hierarch\$4 adj file adj system and	USPAT;	2003/10/28
		transaction and manager and resource with manag\$4 and resource with relat\$4 with	EPO; JPO	14:16
		file and commit\$4 and roll\$back		

-	0	hierarch\$4 adj file adj system and	USPAT;	2003/10/28
		transaction and manager and resource with	EPO; JPO	14:16
		manag\$4 and resource with relat\$4 with		
	17	file and commit\$4   hierarch\$4 adj file adj system and	USPAT;	2003/10/28
	1	transaction and manager and resource with	EPO; JPO	14:17
		manag\$4 and resource with relat\$4 with	223, 323	
		file		
-	3	hierarch\$4 adj file adj system and	USPAT;	2003/10/28
		transaction and manager and commit\$4 and	EPO; JPO	14:17
	26	roll\$back   hierarch\$4 adj file adj system and	IICDAM.	2002/10/20
_	20	transaction and manager and resource with	USPAT; EPO; JPO	2003/10/28 14:22
		manag\$4	1 210, 010	1 11.22
-	0	transaction adj proram	USPAT;	2003/10/29
			US-PGPUB;	08:24
			EPO; JPO;	
_	560	  transaction adj program	IBM_TDB USPAT;	2003/10/29
	300	classaction adj program	US-PGPUB;	08:24
			EPO; JPO;	****
			IBM_TDB	
-	3	transaction adj program and hierarchical	USPAT;	2003/10/29
		adj file	US-PGPUB; EPO; JPO;	08:40
	1		IBM TDB	
-	86	  manag\$4 with hierarchical adj file	USPAT;	2003/10/29
			US-PGPUB;	08:41
			EPO; JPO;	
		AA 103 3.4	IBM_TDB	2002/10/20
_	1	manag\$4 with hierarchical adj file and transaction with program	USPAT; US-PGPUB;	2003/10/29
		transaction with program	EPO; JPO;	00.45
			IBM TDB	
-	4	manag\$4 with hierarchical adj file and	USPAT;	2003/10/29
		transaction	US-PGPUB;	08:53
			EPO; JPO; IBM TDB	
_	5.4	manag\$4 same hierarchical adj file and	USPAT;	2003/10/29
		transaction	US-PGPUB;	09:19
			EPO; JPO;	
	_		IBM_TDB	
-	1	manag\$4 same hierarchical adj file and	USPAT;	2003/10/29
		transaction and commit\$4 and roll\$back	US-PGPUB; EPO; JPO;	00.34
			IBM_TDB	
-	7	, , ,	USPAT;	2003/10/29
		transaction and commit\$4 and roll\$back	US-PGPUB;	08:54
			EPO; JPO;	
_	2	manag\$4 and hierarchical adj file and	IBM_TDB USPAT;	2003/10/29
		transaction and commit\$4 and roll\$back	US-PGPUB;	08:58
		and transaction\$4 with function\$6	EPO; JPO;	
1	_		IBM_TDB	0000/100/00
-	5	manag\$4 and hierarchical adj file and	USPAT;	2003/10/29
		transaction and commit\$4 and roll\$back and transaction\$4 with change with file	US-PGPUB; EPO; JPO;	09:14
		and standasstony; with ondings with life	IBM TDB	
1 -	2	manag\$4 and hierarchical adj file and	USPAT;	2003/10/29
1		transaction and commit\$4 and roll\$back	US-PGPUB;	09:14
		and transaction\$4 with change with file	EPO; JPO;	
_	5	and change with transaction with data manag\$4 and hierarchical adj file and	IBM_TDB USPAT;	2003/10/29
		transaction and commit\$4 and roll\$back	US-PGPUB;	13:23
1		and transaction\$4 with change with file	EPO; JPO;	
		and change with (transaction data)	IBM_TDB	
-	1	manag\$4 and hierarchical adj file and	USPAT;	2003/10/29
		transaction and commit\$4 and roll\$back and transaction\$4 with change with file	US-PGPUB; EPO; JPO;	09:19
		and transaction, 4 with change with life and change with (transaction data) and	IBM TDB	
	ĺ	manager		
		<del></del>		·

<u> </u>	34	manag\$4 same hierarchical adj file and	USPAT;	2003/10/29
		transaction and manager	US-PGPUB;	09:20
			EPO; JPO;	
			IBM TDB	
_	1	manag\$4 same hierarchical adj file and	USPAT;	2003/10/29
		transaction and manager and commit\$4 and	US-PGPUB;	09:20
		roll\$back	EPO; JPO;	
			IBM_TDB	
-	1	manag\$4 same hierarchical adj file and	USPAT;	2003/10/29
		transaction and manager and	US-PGPUB;	09:21
		707/200-201.ccls.	EPO; JPO;	
			IBM TDB	
_	32	manag\$4 same hierarchical adj file and	USPĀT;	2003/10/29
		transaction and manager and change\$4 with	US-PGPUB;	09:22
		(transaction data) and relat\$4	EPO; JPO;	
			IBM_TDB	
-	2	manag\$4 same hierarchical adj file and	USPĀT;	2003/10/29
		transaction and manager and change\$4 with	US-PGPUB;	09:22
		(transaction data) and relat\$4 and	EPO; JPO;	
		commit\$4	IBM TDB	
_	1	manag\$4 same hierarchical adj file and	USPAT;	2003/10/29
		transaction and manager and change\$4 with	US-PGPUB;	09:22
		(transaction data) and relat\$4 and	EPO; JPO;	
		commit\$4 and roll\$back\$4	IBM TDB	
_	4	manag\$4 and hierarchical adj file and	USPAT;	2003/10/29
		transaction and commit\$4 and roll\$back	US-PGPUB;	13:23
		and transaction\$4 with change with file	EPO; JPO;	
		and change with (transaction data) and	IBM_TDB	
		communicat\$4 with protocol	_	